


Complete Skate Kits **SK** series



Including 4 roller skates, 2 turntables, 2 packing plates, 2 steering handles, 2 link-up bars, one draw bar, one metal box.

- ◆ For short, variable transportation distances.
- ◆ For installation works and movement of heavy loads.
- ◆ The steering handle give you precise control making it easy to manoeuvre large machinery or into tight areas.
- ◆ Moving speed no exceeding 5m/min.
- ◆ Minimum turning circle is 3m.

IMPORTANT!

- ▲ All maximum carrying capacities are based for use on a steel surface, which withstands the pressure of the chain-roller. For safety, the carrying capacities in complete sets are calculated so that 2 Roller Skates could support the full load on uneven surfaces.
- ▲ The track surface is important for the safe transportation of the load, not the carrying capacity of the Roller Skate. Tiles are unsuitable. Movement on tarmac and concrete is restricted. In these cases it is recommended to put a steel plate of a minimum of 10mm thickness underneath.
- ▲ Due to the little effort required to overcome the rolling resistance (4-7% of the total load) precautionary measures must be taken for use on inclined surfaces.

Model		SK20	SK30	SK60
Capacity	(tonne)	20	30	60
Length Support	(mm)	120	120	130
Width Support	(mm)	120	120	130
Total Height	(mm)	108	117	140
Rollers	Dia. (mm)	Ø24	Ø24	Ø30
Swivel Top	(mm)	Ø130	Ø130	Ø150
Net Weight of Kit	(kg)	50	58	92

Complete Skate Kits **SK04**



Include four roller skates, two steering handles, one box.

Model		SK04
Capacity	(tonne)	4
Dimensions of Roller Skate	LxWxH (mm)	154x102x90
Swivel Top	(mm)	Ø90
Dimensions of Roller	Dia.xL (mm)	Ø18x51
Length of Handle Bar	(mm)	850
Dimensions of the box	LxWxH (mm)	470x180x160
Weight of Kit	(kg)	24

Steerable Skates **ST** series

◆ They incorporate a 1 meter drawbar and a platform that swivels on a thrust bearing allowing movement around bends.



Model		ST30	ST60	ST120
Capacity	(tonne)	3	6	12
Type of Roller		nylon	nylon	steel
No. of Roller	(pcs)	4	8	8
Roller Size	ØxW (mm)	85x90	85x90	83x85
Dimensions	LxWxH (mm)	310x255x105	630x400x115	630x400x115
Net Weight	(kg)	15	50	66

Individual Roller **SVP / SVD** series

◆ SVD-Diamond steel top, SVP-Rubber pad top.



Model	Capacity (tonne)	Size of Roller ØxL (mm)	Top Style	Number of Roller (pcs)	Dimensions LxWxH (mm)	Net Weight (kg)
SVP3.75	3.75	24x84	Swivel locking padded	14	267x146x127	15
SVP10	10	24x84		14	267x146x133	17
SVP15	15	30x102	Swivel locking with diamond steel grid	16	324x165x130	21
SVD3.75	3.75	24x84		14	267x146x121	15
SVD10	10	24x84		14	267x146x133	16
SVD15	15	30x102	16	324x165x130	21	